Empirical study on ICT system's users' risky behavior and security awareness

Šolić, Krešimir; Velki, Tena; Galba, Tomislav

Source / Izvornik: MIPRO Proceedings, 2015, 1623 - 1626

Conference paper / Rad u zborniku

Publication status / Verzija rada: Published version / Objavljena verzija rada (izdavačev PDF)

Permanent link / Trajna poveznica: https://urn.nsk.hr/urn:nbn:hr:141:440469

Rights / Prava: In copyright/Zaštićeno autorskim pravom.

Download date / Datum preuzimanja: 2024-04-28



Repository / Repozitorij:

FOOZOS Repository - Repository of the Faculty of Education









MIPRO 2015

38th International Convention

May 25 - 29, 2015 Opatija, Croatia

Proceedings

Conferences:

Microelectronics, Electronics and Electronic Technology /MEET Distributed Computing, Visualization and Biomedical Engineering /DC VIS Telecommunications & Information /CTI Computers in Education /CE Computers in Technical Systems /CTS Intelligent Systems /CIS Information Systems Security /ISS Business Intelligence Systems /miproBIS Digital Economy and Government, Local Government, Public Services / DE-GLGPS MIPRO Junior - Student Papers /SP

> Edited by: **Petar Biljanović**

All papers are published in their original form

For Publisher:

Petar Biljanović

Publisher:

Croatian Society for Information and Communication Technology, Electronics and Microelectronics - **MIPRO** Office: Kružna 8/II, P. O. Box 303, HR-51001 Rijeka, Croatia Phone/Fax: (+385) 51 423 984

> Printed by: GRAFIK, Rijeka

ISBN 978-953-233-083-0

Copyright © 2015 by MIPRO

All rights reserved. No part of this book may be reproduced in any form, nor may be stored in a retrieval system or transmitted in any form, without written permission from the publisher.

Empirical study on ICT system's users' risky behavior and security awareness

K. Solic*, T. Velki** and T. Galba***

*J.J. Strossmayer University, Faculty of Medicine, Osijek, Croatia
**J.J. Strossmayer University, Faculty of Education, Osijek, Croatia
***J.J. Strossmayer University, Faculty of Electrical Engineering, Osijek, Croatia kresimir.solic@mefos.hr, tena.velki@gmail.com, tomislav.galba@etfos.hr

Abstract - In this study authors gathered information on ICT users from different areas in Croatia with different knowledge, experience, working place, age and gender background in order to examine today's situation in the Republic of Croatia (n=701) regarding ICT users' potentially risky behavior and security awareness. To gather all desired data validated Users' Information Security Awareness Questionnaire (UISAQ) was used.

Analysis outcome represent results of ICT users in Croatia regarding 6 subareas (mean of items): Usual risky behavior $(x_1=4.52)$, Personal computer maintenance $(x_2=3.18)$, Borrowing access data $(x_3=4.74)$, Criticism on security in communications $(x_4=3.48)$, Fear of losing data $(x_5=2.06)$, Rating importance of backup $(x_6=4.18)$. In this work comparison between users regarding demographic variables (age, gender, professional qualification, occupation, managing job position and institution category) is given. Maybe the most interesting information is percentage of questioned users that have revealed their password for professional e-mail system (28.8%). This information should alert security experts and security managers in enterprises, government institutions and also schools and faculties.

Results of this study should be used to develop solutions and induce actions aiming to increase awareness among Internet users on information security and privacy issues.

I. INTRODUCTION

The importance of ICT system's users' knowledge and awareness about information security issues should be acknowledged when dealing with user's privacy and information security in general [1-3]. Users with potentially risky behavior can significantly affect overall security level of different information and communication systems [4-6].

Generally, main goal of empirical studies is to produce some new knowledge based on gathered data analysis. In that manner aim of this work was to produce some new conclusions about ICT system's users' knowledge, behavior and awareness regarding information security issues. For purpose of collecting data authors used previously validated Users' Information Security Awareness Questionnaire (UISAQ) [7]. Total of 701 participants included in this study were ICT users from different areas in Croatia with different knowledge, experience, working place, age and gender.

Other empirical studies with similar aim in their research examined only certain segments of ICT users'

awareness or behavior, mostly focused on password usage and password quality [8-13]. However, by using UISAQ questionnaire when examining ICT users this empirical research covers wide range of awareness, knowledge and user's behavior. Additional quality of empirical research was succeeded by using UISAQ questionnaire as statistically validated measuring instrument.

The UISAQ questionnaire has two main scales and six subscales, each with five or six items. Associated abbreviations are used in further text and tables:

- Potentially Risky Behavior (PRB; k=17)
 - Usual Behavior (UB; k=6)
 - Personal Computer Maintenance (PCM; k=6)
 - Borrowing Accessing Data (BAD; k=5)
- Knowledge and Awareness (KA; k=16)
 - Security in Communications (SC; k=5)
 - Secured Data (SD; k=5)
 - Backup Quality (BQ; k=6)

These subscales describe user's behavior, knowledge and awareness. Participants should evaluate their agreement with the statement on a 5-point Likert-type scale where five means excellent from aspect of information security. At the end of UISAQ questionnaire there were two additional questions about behavioral security of users and one part with demographic data.

For statistical analysis in this work statistical software tool MedCalc 14.12.0 was used. Statistical significance, when comparing differences among groups was defined as p<0.05, using nonparametric tests Mann-Whitney U Test and Kruskal-Wallis Test with Bonferroni correction when needed.

II. PARTICIPANTS

In this research a paper version of UISAQ questionnaire for data collection was used. Sample was defined in a way to be as similar as possible to general ICT user in the Republic of Croatia restrictive to adult users, but covering different regions (Dalmatia, Slavonia,

Zagreb area), both rural and urban areas, both government institutions and business organizations and also including students, unemployed and retired users with different background knowledge and experience regarding information security issues.

Participants (n=701) in total were 32.0 ± 11.5 years old (arithmetic mean \pm standard deviation), youngest participant was 18 and oldest was 66 years old. Among participants there was 61.6% of female participants and 31.4% of all participants were working at private sector meaning business organizations. Regarding professional qualifications most of the participants were with high education (masters) 36.8%, while there was similar percentage of those with high school (25.2%) and bachelor degree (24.5%). The 28.8% of all participants revealed their password for professional e-mail systems' access by writing it down on the questionnaire.

Analysis outcome of the whole sample represents average results of ICT users in Croatia regarding 6 subareas (mean of items): Usual risky behavior (x_1 =4.52), Personal computer maintenance (x_2 =3.18), Borrowing access data (x_3 =4.74), Criticism on security in communications (x_4 =3.48), Fear of losing data (x_5 =2.06), Rating importance of backup (x_6 =4.18).

III. COMPARISON RESULTS

In order to compare ICT users, authors made groups regarding gender, age, workplace in government or private sector, professional qualification, managing job position and regarding revealing password. Following results are more interesting part of total results, depending on existence of statistical significant difference.

Comparing results regarding gender are showing that female ICT users got generally better results, except in subscale "Usual Behavior" (Table 1). There is no statistically significant gender difference regarding password revealing (p=0.547, Chi-Square Test).

Comparing results regarding age, where four groups were defined, are showing that middle age and older ICT users got generally better results (Table 2). For analysis between each group was used Mann-Whitney U Test with Bonferroni correction (with p<0.0125) Analysis results have shown that youngest group of users is significantly different of all other groups in total and most other subscales (UISAQ, PCM, KA, SC) while significant

TABLE I. GENDER DIFFERENCES IN USERS' INFORMATION SECURITY AWARENESS

| gender | Male (n=269) x±SD | Female (n=432) x±SD | p* |
|--------|----------------------|------------------------|---------|
| UISAQ | 3.68±0.37 | 3.71±0.32 | 0.237 |
| PRB | 4.17±0.40 | 4.15±0.34 | 0.409 |
| UB | 3.30±0.96 | 3.14±0.87 | 0.018 |
| PCM | 4.45±0.48 | 4.58±0.38 | < 0.001 |
| BAD | 4.75±0.38 | 4.72±0.39 | 0.050 |
| KA | 3.18±0.54 | 3.27±0.46 | 0.013 |
| SC | 3.33±0.83 | 3.57±0.81 | <0.001 |
| SD | 2.06±0.84 | 2.05±0.76 | 0.734 |
| BQ | 4.16±0.72 | 4.20±0.65 | 0.667 |

* Mann-Whitney U Test

difference among other three groups of users is found only regarding subscale "Personal Computer Maintenance".

Regarding workplace of ICT users, working in government institutions or in private sector, results have shown that both groups of ICT users got similar results, except in subscale "Secured Data" where users working at private sector got significantly lower result (p=0.015; Mann-Whitney U Test with Bonferroni correction). However, ICT users that work in private sector significantly more often reveal their password (p<0.001, Chi-Square Test), 48.2% of them.

Results of comparison between groups of ICT users with different professional qualification have shown that participants with masters got total result and two subscales regarding behavior (UISAQ, PRB, UB) significantly better than all other groups (with p<0.001; Mann-Whitney U Test with Bonferroni correction) (Table 3). Most significant differences (with p<0.0125; Mann-Whitney U Test) were found between users with masters and users with high school (UISAQ, PRB, UB and SD) while users who attended gymnasium are more skeptical in securing data than users with high school (SD).

Results of comparison between groups of ICT users regarding managing job position have shown significant difference between top management and the rest of employees and also significant difference between employed and unemployed users (Table 4). Statistical analysis between each group (p<0.0125; Mann-Whitney U Test with Bonferroni correction) has shown that

| age | 18-30 (n=166) | 31-40 (n=206) | 41-50 (n=190) | 51-66 (n=139) | p* |
|-------|---------------|---------------|---------------|---------------|---------|
| | x±SD | x±SD | x±SD | x±SD | |
| UISAQ | 3.58±0.36 | 3.73±0.31 | 3.74±0.35 | 3.73±0.32 | < 0.001 |
| PRB | 4.07±0.39 | 4.21±0.37 | 4.18±0.34 | 4.14±0.33 | 0.028 |
| UB | 3.25±0.78 | 3.40±0.90 | 3.16±0.93 | 2.90±0.95 | 0.105 |
| PCM | 4.30±0.50 | 4.48±0.42 | 4.61±0.33 | 4.76±0.27 | < 0.001 |
| BAD | 4.66±0.49 | 4.74±0.37 | 4.78±0.29 | 4.77±0.38 | < 0.001 |
| KA | 3.09±0.51 | 3.26±0.43 | 3.30±0.55 | 3.31±0.46 | < 0.001 |
| SC | 3.15±0.89 | 3.49±0.83 | 3.66±0.74 | 3.62±0.74 | < 0.001 |
| SD | 2.04±0.78 | 2.00±0.69 | 2.11±0.92 | 2.07±0.75 | 0.832 |
| BQ | 4.07±0.67 | 4.29±0.56 | 4.13±0.80 | 4.24±0.65 | 0.009 |

TABLE II. AGE DIFFERENCES IN USERS' INFORMATION SECURITY AWARENESS

* Kruskal Wallis Test

| professional qualification | High school (n=177) x±SD | Gymnasium (n=77) x±SD | Bachelor (n=172) x±SD | Masters (n=258) x±SD | p* |
|-------------------------------|-----------------------------|--------------------------|--------------------------|-------------------------|---------|
| UISAQ | 3.64±0.36 | 3.65±0.40 | 3.66±0.30 | 3.77±0.32 | < 0.001 |
| PRB | 4.13±0.38 | 4.07±0.40 | 4.08±0.35 | 4.24±0.34 | < 0.001 |
| UB | 3.05±1.02 | 3.00±0.90 | 3.03±0.80 | 3.46±0.83 | < 0.001 |
| PCM | 4.56±0.48 | 4.49±0.55 | 4.51±0.42 | 4.53±0.35 | 0.103 |
| BAD | 4.77±0.38 | 4.70±0.43 | 4.70±0.42 | 4.75±0.36 | 0.211 |
| KA | 3.15±0.49 | 3.24±0.60 | 3.24±0.46 | 3.30±0.48 | 0.090 |
| SC | 3.49±0.83 | 3.39±0.97 | 3.49±0.83 | 3.49±0.78 | 0.976 |
| SD | 1.93±0.81 | 2.17±0.78 | 1.99±0.76 | 2.13±0.81 | 0.005 |
| BQ | 4.03±0.85 | 4.15±0.73 | 4.22±0.59 | 4.27±0.58 | 0.088 |

TABLE III. DIFFERENCES IN SUBSCALES OF UISAQ REGARDING PROFESSIONAL QUALIFICATION OF USERS

* Kruskal Wallis Test

unemployed users are significantly different from all other groups in total and in several other subscales (UISAQ, PCM, KA, SC, BQ). Significant difference was also found between top and middle management regarding "Borrowing Accessing Data", while there was no difference found between each management group and employed users.

Comparing results between ICT users that did or did not reveal password for accessing professional e-mail system are shown in last table (Table 5). ICT users that revealed their password got significantly lower overall result and results for three subscales that examine "Potentially Risky Behavior" (UB, PCM and BAD). Also there is significant difference regarding age, where younger ICT users significantly more often reveal their password.

However, ICT users with lower level of education significantly more often reveal their password (p<0.001, Fisher's Exact Test).

IV. CONCLUSION

Some general conclusions about ICT user's behavior and awareness emerging from analysis results are:

- Female users are generally more careful and more skeptical comparing to their male colleagues;
- Regarding age difference, middle age and older ICT users got better results in total and in most of

the subscales;

- ICT users that work in private sector significantly more often reveal their password;
- Comparison of users with different professional qualification has shown that participants with masters got overall result significantly better than other users. Most significant differences were found between users with masters and users with high school;
- Unemployed users got significantly lower results than all other groups in total and in several subscales, both regarding behavior and awareness. Significant difference between three groups of employed users was only regarding borrowing access data;
- Participants who did not reveal their password generally got better results than participants that did reveal their password.

Regarding gender, age and different professional qualification results are expected. However, top management participants achieved surprisingly well results, which is very important as that kind of ICT users is most often target in direct phishing hacker attacks.

Maybe the most interesting information is percentage of users that have revealed their password for professional e-mail system (28.8%) and they are working in private

| job position | Top management (n=24) | Middle management (n=126) | Employee (n=495) x±SD | Unemployed (n=55) | p* |
|-----------------|--------------------------|------------------------------|--------------------------|----------------------|---------|
| position | x±SD | x±SD | ALOD | x±SD | |
| UISAQ | 3.85±0.35 | 3.72±0.32 | 3.70±0.34 | 3.54±0.35 | 0.001 |
| PRB | 4.26±0.31 | 4.15±0.36 | 4.15±0.37 | 4.12±0.31 | 0.259 |
| UB | 3.47±0.79 | 3.17±0.93 | 3.18±0.90 | 3.37±0.92 | 0.151 |
| PCM | 4.43±0.37 | 4.58±0.34 | 4.55±0.43 | 4.20±0.48 | < 0.001 |
| BAD | 4.89±0.16 | 4.71±0.36 | 4.73±0.41 | 4.77±0.26 | 0.020 |
| KA | 3.44±0.56 | 3.28±0.44 | 3.25±0.49 | 2.96±0.53 | <0.001 |
| SC | 3.63±0.86 | 3.65±0.73 | 3.50±0.82 | 2.87±0.81 | < 0.001 |
| SD | 2.25±0.75 | 2.02±0.65 | 2.06±0.82 | 2.03±0.87 | 0.470 |
| BQ | 4.46±0.43 | 4.18±0.65 | 4.20±0.69 | 3.98±0.71 | 0.012 |

TABLE IV. DIFFERENCES IN SUBSCALES OF UISAO REGARDING MANAGING JOB POSITION OF USERS

* Kruskal Wallis Test

| password | No (n=499) | Revealed (n=202) p* | |
|----------|-------------|---------------------|---------|
| revealed | x±SD | x±SD | |
| UISAQ | 3.72±0.35 | 3.64±0.31 | 0.003 |
| PRB | 4.19±0.36 | 4.06±0.37 | < 0.001 |
| UB | 3.25±0.92 | 3.07±0.86 | 0.008 |
| PCM | 4.56±0.40 | 4.46±0.49 | 0.029 |
| BAD | 4.77±0.34 | 4.65±0.48 | 0.001 |
| KA | 3.25±0.51 | 3.21±0.46 | 0.530 |
| SC | 3.51±0.83 | 3.41±0.83 | 0.259 |
| SD | 2.04±0.79 | 2.08±0.80 | 0.461 |
| BQ | 4.20±0.68 | 4.14±0.68 | 0.134 |
| Age | 40.34±11.42 | 37.92±11.49 | 0.009 |

TABLE V. DIFFERENCES IN SUBSCALES OF UISAQ REGARDING USERS' PASSWORD REVEALING

* Mann-Whitney U Test

sector significantly more often. This information should alert security experts and security managers in companies, government institutions and also schools and faculties.

There are few possible drawbacks of this study. It was not possible for authors to check out if the revealed password is true and active, and also there would be higher amount of revealed passwords if some employees in some departments were not warned in advance. Other recommendations for future studies would be additional questions in demographic section of UISAQ questionnaire and bigger sample size.

Results of this study should be used to develop solutions and induce actions aiming to increase awareness among Internet users on information security and privacy issues.

REFERENCES

 A. Tsohou, S. Kokolakis, M. Karyda and E. Kiountouzis, "Process-variance models in information security awareness research", Information Management & Computer Security, vol. 16, pp. 271-287, July 2008.

- [2] S. Williams and S. Akanmu, "Relationship Between Information Security Awareness and Information Security Threats", IJRCM, vol.3, pp. 115-119, August 2013.
- [3] P. Tasevski, "Methodological approach to security awareness", CyberSecurity for the Next Generation. (Politechnico di Milano, Italy), 11-12 December 2013.
- [4] P. Puhakainen and M. Siponen, "Improving Employees' Compliance Through Information Systems Security Training: An Action Research Study", MIS Quarterly, vol. 34, pp. 757-778, December 2010.
- [5] K. Solic, D. Sebo, F. Jovic and V. Ilakovac, "Possible Decrease of Spam in the Email Communication", Proceedings IEEE MIPRO, (Opatia), pp. 170-173, May 2011.
- [6] K. Beckers, L. Krautsevich, and A. Yautsiukhin, "Analysis of Social Engineering Threats with Attack Graphs", Proceedings of the 3rd International QASA - Affiliated workshop with ESORICS, (Wroclow, Poland), September 2014.
- [7] T. Velki, K. Solic and H. Ocevcic, "Development of Users' Information Security Awareness Questionaire (UISAQ) - Ongoing Work", Proceedings IEEE MIPRO, (Opatia), pp. 1417-1421, May 2014.
- [8] A. Keszthelyi, "About Passwords", Acta Polytechnica Hungarica, vol.10, pp. 99-118, September 2013.
- [9] K. Solic, H. Ocevcic and D. Blazevic, "Survey on Password Quality and Confidentiality", Automatika, vol. 56, April 2015. (accepted for publication).
- [10] A.G. Voyiatzis, C.A. Fidas, D.N. Serpanos and N.M. Avouris, "An Empirical Study on the Web Password Strength in Greece", 15th Panhellenic Conference on Informatics, (Kastonija Greece), pp. 212-216, September-October 2011.
- [11] M. Dell'Amico, P. Michiardi and Y. Roudier, "Password Strength: An Empirical Analysis", Proceedings IEEE INFOCOM, (San Diego, CA) pp. 1-9, March 2010.
- [12] Ma Wanli, J. Campbell, D. Tran and D. Kleeman, "Password Entropy and Password Quality", 4th International Conference on Network and System Security, (Melbourne, VIC), pp. 583-587, 1-3, September 2010.
- [13] P.G. Kelley, S. Komanduri, M.L. Mazurek, R. Shay, T. Vidas, L. Bauer, N. Christin, L.F. Cranor and J. Lopez, "Guess Again (and Again and Again): Measuring Password Strength by Simulating Password-Cracking Algorithms", IEEE Symposium on Security and Privacy, (San Francisco, CA), pp. 523-537, May 2012.